

SUPERIOR SAVINGS, MAXIMUM MILEAGE WITH MICHELIN AGILIS HD.

All position tube type radial tyres for urban and intercity application for LCV.



AGILIS HD

> HIGH TYRE MILEAGE

Radial construction delivers higher tyre mileage than bias tyres.

> LESS FUEL CONSUMPTION

As compared to bias tyres due to less rolling resistance.

> LESS DOWNTIME

Robust tyre casing with 30% bigger cables*.

> HIGH RETREADABILITY

With strong steel casing.



TESTIMONIAL

“With Michelin Agilis HD, I have experienced high tyre mileage and upto 7% fuel savings. I have seen less punctures as compared to bias tyres.”

- Jeevan Bus Service

TECHNICAL SPECIFICATIONS

Size	Pattern	Load / Speed Index	Ply Rating	Load / Tyre in kg (S/D)	Max. Speed (km/hr)	Max. Inflation Pressure (PSI)	Recommended Rim Size (in cms and inches)	Tread Depth (mm)		
10.00 R 20	X MULTI ^{HD} Z	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	16	X MULTI^{HD} TUBE TYRE	
							7.5 X 20 in			
10.00 R 20	X MULTI ^{HD} D	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	18.5		
							7.5 X 20 in			
11.00 R 22.5	X MULTI Z	148 / 145L	16	3150 / 2900	120	116	20.96 X 57.15 cm	16		
							8.25 X 22.5 in			
11.00 R 22.5	X MULTI D	148 / 145L	16	3150 / 2900	120	116	20.96 X 57.15 cm	21.5		
							8.25 X 22.5 in			
295 / 80 R 22.5	X MULTI Z	152 / 149M	18	3550 / 3250	130	130	20.96 X 57.15 cm	15.3		
							8.25 X 22.5 in			
295 / 80 R 22.5	X MULTI D	152 / 149M	18	3550 / 3250	130	130	20.96 X 57.15 cm	18.7		
							8.25 X 22.5 in			
235 / 75 R 17.5	X MULTI Z	132 / 130M	16	2000 / 1900	130	110	17.15 X 44.45 cm	12.5		
							6.75 X 17.5 in			
10.00 R 20	X GUARD D	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	16.8	X GUARD	
							7.5 X 20 in			
10.00 R 20	X GUARD Z	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	12		
							7.5 X 20 in			
10.00 R 20	X WORKS ^{HD} Z	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	17		
							7.5 X 20 in			
10.00 R 20	X WORKS ^{HD} D	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	20		
							7.5 X 20 in			
7.50 R 16	AGILIS ^{HD}	122 / 121L	14	1500 / 1450	120	108	15.24 X 40.64 cm	10.3		AGILIS^{HD}
							6.00 X 16 in			
8.25 R 16	AGILIS ^{HD}	128 / 126K	16	1800 / 1700	110	104	16.51 X 40.64 cm	11.5		
							6.50 X 16 in			
11.00 R 22.5	X INCITY Z	148 / 145J	16	3150 / 2900	100	120	20.96 X 57.15 cm	16		
							8.25 X 22.5 in			
295 / 80 R 22.5	X INCITY XZUE3+	152 / 148J	16	3550 / 3150	100	125	20.96 X 57.15 cm	18		
							8.25 X 22.5 in			

Subject to Michelin terms & conditions. For complete terms and conditions, please visit www.michelintransport.in
All Michelin tyres are subjected to Michelin standard warranty.

“

I am using for most vehicle fitting Michelin tyre good performance. In case fuel injection, & more gripping, Double life compared to MRF tyres comprising from other tyres Michelin is good, in driving in wet road. My vehicle more safety longer like. Got very good fantastic excellent.

”

“

I am using T.T (Force) agilis 215/70 R15 TL tyres for my vehicle of fitment was ceat tyres. I was not satisfied with that performance 40,000km. But when I came to Vasari Automobiles for tyres. They suggested Michelin, but after that I have drive 84000 km till date it is perfectly Goods. Thanks and hats off to Michelin brand and team. Keep It up highly satisfied.

”