

X MULTI Z – TRUSTED TYRE FOR AN UNSTOPPABLE DRIVE.

All position tubeless tyres for light duty buses and trucks.



X MULTI Z

> LESS DOWNTIME


Easy mounting / demounting and less punctures - thanks to Michelin tubeless technology.

> HIGH TYRE MILEAGE

Wide tread pattern design and 3D Delta sipes ensure better contact, even wear and reduced tyre wear.

> LOW FUEL CONSUMPTION

Michelin tubeless technology ensures low rolling resistance resulting in fuel savings.



TESTIMONIAL

"We are greatly satisfied with Michelin tyres in our buses. Our monthly running is 12,000 km and currently we have achieved 12,000*8 = 96,000 km and still running."

- Mayur Tours and Travels

TECHNICAL SPECIFICATIONS

Size	Pattern	Load / Speed Index	Ply Rating	Load / Tyre in kg (S/D)	Max. Speed (km/hr)	Max. Inflation Pressure (PSI)	Recommended Rim Size (in cms and inches)	Tread Depth (mm)	
10.00 R 20	X MULTI ^{HD} Z	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	16	X MULTI ^{HD} TUBE TYRE
							7.5 X 20 in		
10.00 R 20	X MULTI ^{HD} D	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	18.5	
							7.5 X 20 in		
11.00 R 22.5	X MULTI Z	148 / 145L	16	3150 / 2900	120	116	20.96 X 57.15 cm	16	
							8.25 X 22.5 in		
	X MULTI D	148 / 145L	16	3150 / 2900	120	116	20.96 X 57.15 cm	21.5	
							8.25 X 22.5 in		
295 / 80 R 22.5	X MULTI Z	152 / 149M	18	3550 / 3250	130	130	20.96 X 57.15 cm	15.3	
							8.25 X 22.5 in		
	X MULTI D	152 / 149M	18	3550 / 3250	130	130	20.96 X 57.15 cm	18.7	
							8.25 X 22.5 in		
235 / 75 R 17.5	X MULTI Z	132 / 130M	16	2000 / 1900	130	110	17.15 X 44.45 cm	12.5	
							6.75 X 17.5 in		
10.00 R 20	X GUARD D	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	16.8	X GUARD
							7.5 X 20 in		
10.00 R 20	X GUARD Z	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	12	
							7.5 X 20 in		
10.00 R 20	X WORKS ^{HD} Z	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	17	
							7.5 X 20 in		
10.00 R 20	X WORKS ^{HD} D	147 / 143K	16	3075 / 2725	110	115	19.05 X 50.8 cm	20	
							7.5 X 20 in		
7.50 R 16	AGILIS ^{HD}	122 / 121L	14	1500 / 1450	120	108	15.24 X 40.64 cm	10.3	AGILIS ^{HD}
							6.00 X 16 in		
8.25 R 16	AGILIS ^{HD}	128 / 126K	16	1800 / 1700	110	104	16.51 X 40.64 cm	11.5	
							6.50 X 16 in		
11.00 R 22.5	X INCITY Z	148 / 145J	16	3150 / 2900	100	120	20.96 X 57.15 cm	16	
							8.25 X 22.5 in		
295 / 80 R 22.5	X INCITY XZUE3+	152 / 148J	16	3550 / 3150	100	125	20.96 X 57.15 cm	18	
							8.25 X 22.5 in		

Subject to Michelin terms & conditions. For complete terms and conditions, please visit www.michelintransport.in
All Michelin tyres are subjected to Michelin standard warranty.

“

As per above subject I acknowledge 3 to 4 % fuel Benefit by using MICHELIN Tubless Tyres in my fleet with 30% additional tyre life. I have around 100 vehicles which are operating all over INDIA and most of the vehicles are fitted with michelin tyres. One request as a fleet owner to increase tublesh repair and fitment point on national highways. Our base operations location is at ambe so please provide alignment center and proper fit training to our staff.

”

“

Dear Sir, I am a Lorry Transporter having 5 vehicles and I am running my Vehicle in the Maharashtra Route with correct Load Application. I am satisfied with the performance of 295/80 R 22.5 X multi Z. I have fitted 12 tyres in my 12 wheeler (Ashok Leyland 8x2) TN 88 B 1028. I have achieved a Tyre Mileage of 2,09,411 kms.

”